

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 August 2012

Date	39N	33N	27N	21N	15N	9N	6N	3N	0	3S	6S	9S	15S	21S	27S	29S	39S
8/1						480	1900	18000	<18	<18	18	<18	<18	<18	<18	18	<18
8/2																	
8/3																	
8/4																	
8/5																	
8/6																	
8/7	<18	<18	18	<18	<18	<18	36	18	18								
8/8						<18	160	36	36	36	<18	<18	18	<18	<18	<18	<18
8/9																	
8/10																	
8/11																	
8/12																	
8/13																	
8/14	73	36	18	36	<18	<18	<18	18	<18								
8/15						110	760	<18	18	<18	<18	36	18	<18	<18	36	<18
8/16																	
8/17																	
8/18																	
8/19																	
8/20																	
8/21	18	<18	<18	55	<18	18	<18	18	<18								
8/22						200	18	<18	36	18	<18	<18	<18	<18	<18	<18	<18
8/23																	
8/24																	
8/25																	
8/26																	
8/27																	
8/28	250	18	18	<18	91	110	380	310	110								
8/29						350	1300	7000	36	180	<18	18	<18	<18	<18	<18	<18
8/30																	
8/31																	

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluent With Sheen  
 CWOS - Confluent Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.