

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 December 2015

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
12/1	<17	33	17	17	<17	<17	<17	17	17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	
12/2	17																	17	<17	
12/3																				
12/4																				
12/5																				
12/6																				
12/7																				
12/8	67	33	100	50	<17	17	33	33	17	17	50	<17	33	17	<17	67	83	<17	17	
12/9	33																	17	<17	
12/10																				
12/11																				
12/12																				
12/13																				
12/14																				
12/15	>16000	CWS	>20000	>15000	5000	4500	>9400	>9400	>10000	>12000	>7500	>11000	8100	5800	5800	>9100	5600	4300	3500	
12/16	280																	350	270	
12/17																				
12/18																				
12/19																				
12/20																				
12/21	2000	860	540	840	500	500	470	400	420	440	180	370	230	200	230	280	280	180	180	
12/22	1700																	50	130	
12/23																				
12/24																				
12/25																				
12/26																				
12/27																				
12/28																				
12/29	33	33	120	17	<17	<17	<17	<17	17	<17	67	67	50	17	50	33	<17	33	<17	
12/30	<17																		<17	<17
12/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
480	<17	33																	
<17	<17		17	17	17	<17	<17	<17	<17	<17	17	600	<17			<17	<17	<17	800
100	200	33																	
100	180		230	120	17	17	17	33	17	17	67	470	83	<17	>3400	<17	17	<17	2200
2600	1700	1200																	
460	500		520	880	1900	540	50	17	<17	<17	100	1500	17			<17	<17	17	730
330	100	33																	
180	170		83	230	130	220	50	83	50	33	1100	>7600	>2400	17	CWS	83	17	83	>16000
130	<17	<17																	
<17	<17		<17	<17	<17	<17	<17	<17	<17	<17	33	400	33			<17	17	<17	1000

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
17	<17	<17	530	17			<17
<17	17	<17	4400	17	<17	5800	<17
17	33	<17	400	<17			<17
800	1800	<17	>4400	1200			83
<17	<17	17	2000	17			<17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.