

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 December 2019

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D
12/1																			
12/2																			
12/3	67	200	280	130	33	50	33	33	<17	33			<17			17			<17
12/4	130																		
12/5																			
12/6																			
12/7																			
12/8																			
12/9																			
12/10	880	170	170	83	33	33	17	33	17	17			<17			<17			33
12/11	200																		
12/12																			
12/13																			
12/14																			
12/15																			
12/16																			
12/17	33	67	100	50	<17	<17	<17	<17	17	<17			<17			<17			<17
12/18	17																		
12/19																			
12/20																			
12/21																			
12/22																			
12/23	350	280	130	<17	17	<17	17	17	17	130	>660	CWS	>2400	>620	CWS	>1200	>700	CWS	>2200
12/24																			
12/25																			
12/26	3400																		
12/27																			
12/28																			
12/29																			
12/30	120	100	67	100	<17	<17	<17	33	<17	<17			17			<17			<17
12/31																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

21N	HB4U	HB4	HB4D	HB5U	HB5	HB5D	15N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S
<17			50			17	<17	50 83	33 250	17 17	50 <17	220	180	<17	<17	17	<17	17	17
<17			50			33	67	50 420	720 17	67 17	67 58	230	17	50	<17	33	17	<17	<17
17			<17			<17	<17	<17 <17	17 100	<17 1500	<17 580	<17	17	17	270	420	180	270	<17
>1200	>2500	CWS	1000	2200	CWS	1500	50	67	<17	1000	CWS	CWS							
								CWS	>11000	>9500	11000		CWS	130	130	100	330	320	100
<17			17			<17	17	50	440	100	50	67							

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
33	1300	>2600	500	200	>2200	130	1400	700	>7200	<17	1800	1000	>7400	17	17	9600	<17
<17	<17	3100	17	<17	>520	17	50	50	1000	17	<17	180	1400	<17	<17	>3500	<17
<17	17	670	33			<17	<17	17	400	83	17	<17	670	33			<17
1300	CWS	CWS					1300				450	920	13000				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.