

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 February 2014

| Date | OSB02 | OSB03 | OSB05 | OSB04 | OSB01 | OSUB1 | 39N | 33N | BCO-1 | 27N | HB1D | HB2D | HB3D | 21N | HB4D | HB5D | 15N | 9N | 6N | |
|------|-------|-------|-------|-------|-------|-------|-----|-----|-------|-----|------|------|------|-----|------|------|-----|-----|-----|--|
| 2/1 | | | | | | | | | | | | | | | | | | | | |
| 2/2 | | | | | | | | | | | | | | | | | | | | |
| 2/3 | | | | | | | | | | | | | | | | | | | | |
| 2/4 | 940 | 1300 | 300 | 150 | 170 | 120 | 130 | 17 | <17 | 50 | 17 | 17 | 17 | <17 | <17 | 50 | 17 | <17 | <17 | |
| 2/5 | 720 | | | | | | | | | | | | | | | | | <17 | <17 | |
| 2/6 | | | | | | | | | | | | | | | | | | | | |
| 2/7 | | | | | | | | | | | | | | | | | | | | |
| 2/8 | | | | | | | | | | | | | | | | | | | | |
| 2/9 | | | | | | | | | | | | | | | | | | | | |
| 2/10 | 230 | 480 | 83 | 33 | <17 | 67 | 17 | 50 | <17 | <17 | <17 | 50 | 33 | 17 | 17 | 17 | 17 | 67 | 17 | |
| 2/11 | | | | | | | | | | | | | | | | | | | | |
| 2/12 | | | | | | | | | | | | | | | | | | | | |
| 2/13 | 330 | | | | | | | | | | | | | | | | | <17 | <17 | |
| 2/14 | | | | | | | | | | | | | | | | | | | | |
| 2/15 | | | | | | | | | | | | | | | | | | | | |
| 2/16 | | | | | | | | | | | | | | | | | | | | |
| 2/17 | | | | | | | | | | | | | | | | | | | | |
| 2/18 | 480 | 83 | 50 | 17 | <17 | 17 | 50 | <17 | 33 | 17 | 17 | <17 | 120 | 83 | <17 | 17 | 33 | <17 | 370 | |
| 2/19 | 50 | | | | | | | | | | | | | | | | | 17 | 480 | |
| 2/20 | | | | | | | | | | | | | | | | | | | | |
| 2/21 | | | | | | | | | | | | | | | | | | | | |
| 2/22 | | | | | | | | | | | | | | | | | | | | |
| 2/23 | | | | | | | | | | | | | | | | | | | | |
| 2/24 | | | | | | | | | | | | | | | | | | | | |
| 2/25 | 900 | 67 | 83 | <17 | <17 | 33 | <17 | 33 | <17 | 17 | <17 | <17 | <17 | 33 | <17 | 50 | <17 | <17 | 67 | |
| 2/26 | 280 | | | | | | | | | | | | | | | | | 180 | 250 | |
| 2/27 | | | | | | | | | | | | | | | | | | | | |
| 2/28 | | | | | | | | | | | | | | | | | | | | |

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

| 3N | 0 | AR-N | TM | 3S | 6S | 9S | 15S | 21S | 27S | 29S | BGCU | BGC | BGCD | PPCD | 39S | WFCU | WFC | WFCD | ONB39 | |
|------|-----|--------|-----|------|-----|-----|-----|-----|-----|-----|------|------|------|------|-----|------|------|------|-------|--|
| 1000 | 350 | >20000 | | | | | | | | | | | | | | | | | | |
| 300 | 150 | | 100 | 1100 | 200 | 17 | <17 | 17 | <17 | 33 | 33 | 2200 | 100 | <17 | <17 | >100 | <15 | 370 | >5200 | |
| 130 | 100 | 130 | | | | | | | | | | | | | | | | | | |
| 1300 | 33 | | 170 | 17 | 17 | 17 | <17 | <17 | <17 | <17 | 250 | 3400 | 170 | <17 | 17 | 320 | 120 | 820 | 33 | |
| 33 | 17 | 50 | | | | | | | | | | | | | | | | | | |
| 120 | 83 | | <17 | 50 | 33 | <17 | 17 | <17 | <17 | <17 | <17 | 2700 | <17 | <17 | <17 | <17 | 1300 | 200 | >4600 | |
| 83 | 17 | <17 | | | | | | | | | | | | | | | | | | |
| 480 | <17 | | 17 | <17 | <17 | 33 | <17 | <17 | <17 | 150 | 150 | 2200 | 17 | 180 | <17 | 17 | 1000 | <17 | <17 | |

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

| MDCU | MDC | MDCD | ELMOROD |
|------|-------|------|---------|
| | | | |
| 17 | 1200 | <17 | <17 |
| | | | |
| | | | |
| 50 | 1800 | 83 | <17 |
| | | | |
| | | | |
| 17 | >5000 | 17 | 33 |
| | | | |
| | | | |
| 50 | 4200 | <17 | <17 |
| | | | |

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.