

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 January 2017

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3D	21N	HB4U		
1/1																					
1/2																					
1/3	320	100	67	50	<17	<17	<17	<17	<17	<17			<17			<17	<17	<17			
1/4	460																				
1/5																					
1/6																					
1/7																					
1/8																					
1/9																					
1/10	CWS	580	820	370	<17	100	100	320	17	120	320	>4800	1300	1200	>3600	120	220	83			
1/11	CWS																				
1/12																					
1/13																					
1/14																					
1/15																					
1/16																					
1/17	170	120	67	33	<17	17	50	33	17	33			<17			50	<17	17			
1/18	83																				
1/19																					
1/20																					
1/21																					
1/22																					
1/23																					
1/24	>5500	2500	2100	1700	1000	200	1000	600	800	600	>660	CWS	900	1200	CWS	800	2500	1300	1400		
1/25	1900																				
1/26																					
1/27																					
1/28																					
1/29																					
1/30																					
1/31	83	17	50	17	<17	<17	<17	17	33	<17			17			<17	17	17			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB4	HB4D	HB5U	HB5	HB5D	15N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU
	<17			<17	50	17	5700	200	83	17									
						<17	<17	50	33		120	<17	<17	33	<17	<17	<17	<17	120
	83			180	270	17	67	320	67	350									
						17	17	420	100		67	130	150	300	170	83	1200	1200	2200
	<17			<17	33	<17	<17	33	17	17									
						17	17	<17	100		50	270	33	50	<17	<17	17	<17	17
>6800	1300	370	CWS	1400	400	300	400	800	1600	CWS									
						320	120	600	1300		220	>6000	>2100	>1600	230	83	150	130	83
	<17			17	50	<17	17	50	83										

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
1300	33			<17	<17	<17	330	<17	17	<17	870	<17			<17
3800	17	150	>19000	100	33	170	1400	100	83	150	>5500	220	17	>32000	130
1400	83			17	33	<17	400	<17	33	<17	1100	<17			<17
2200	50	33	CWS	83	<17	33	CWS	17	<17	33	>3500	540	17	>1800	33

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.