

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 January 2016

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
1/1																				
1/2																				
1/3																				
1/4																				
1/5	67	130	50	17	17	<17	50	33	<17	<17	<17	17	<17	17	17	<17	17	<17	33	
1/6	>8200																	1500	1100	
1/7																				
1/8																				
1/9																				
1/10																				
1/11																				
1/12	83	100	100	50	120	33	17	50	17	17	33	33	<17	33	50	33	<17	<17	33	
1/13	170																	<17	<17	<17
1/14																				
1/15																				
1/16																				
1/17																				
1/18																				
1/19	100	<17	<17	33	67	33	<17	<17	33	17	<17	33	<17	<17	<17	<17	<17	<17	<17	
1/20	67																	<17	<17	67
1/21																				
1/22																				
1/23																				
1/24																				
1/25																				
1/26	50	150	17	<17	50	<17	<17	17	33	50	<17	<17	<17	<17	17	<17	<17	<17	17	
1/27	67																	<17	<17	<17
1/28																				
1/29																				
1/30																				
1/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<17	<17	17																	
1700	1500		3500	CWS	1800	1600	520	640	1000	67	370	>4200	600	200	>2800	200	83	130	>3800
33	33	<17																	
100	<17		17	33	100	17	<17	<17	<17	<17	17	1300	17			<17	33	17	670
<17	130	220																	
130	33		67	83	17	<17	50	67	<17	50	17	>780	17			<17	<17	17	>680
2100	<17	17																	
120	<17		33	<17	17	17	<17	17	<17	<17	100	1100	<17	<17	>2100	<17	<17	17	340

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
83	83	33	CWS	>3000	180
<17	<17	<17	>1300	17	33
<17	<17	67	900	17	<17
<17	<17	33	940	<17	<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.