

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 May 2015

Date	12S	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N
5/1																			
5/2																			
5/3																			
5/4																			
5/5		67	83	17	17	<17	<17	<17	<17	17	<17	<17	17	17	<17	<17	17	<17	17
5/6		>33						<17	17		<17				<17			<17	<17
5/7																			
5/8																			
5/9																			
5/10																			
5/11																			
5/12		300	130	230	170	<17	<17	17	<17	<17	33	<17	<17	17	33	17	<17	<17	<17
5/13		<17						<17	<17		<17				<17			<17	<17
5/14																			
5/15																			
5/16																			
5/17																			
5/18																			
5/19		<17	<100	17	17	<17	<20	<17	<17	<17	<17	<17	<100	<17	<17	<17	<17	<17	33
5/20		>300						<17	50		17				<17			<17	<17
5/21																			
5/22																			
5/23																			
5/24																			
5/25																			
5/26		>50	67	<17	17	<17	<17	<17	<17	17	<17	<17	<17	17	<17	<17	17	17	17
5/27	2400	33						120	17		17				17			<17	<17
5/28																			
5/29																			
5/30																			
5/31																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD
33	<17	<17	250		17	<17	<17	<17	17	<17	<17					17			
<17	<17	<17		<17	<17	<17	<17	<17	<17	<17	<17	50	<20	300	<17	<17	17	5400	33
<17	33	120	100		17	<17	<17	<17	<17	<17	<17					<17			
17	<17	<17		<17	<17	<17	<17	<17	<17	<17	<17	580	>21000	<17	33	<17	<17	2200	<17
50	440	33	170		<17	<17	<17	<17	<17	<17	<17					<17			
50	120	50		>17	<17	17	<17	<17	<17	17	<17	83	>4600	130	33	<17	17	1600	<17
<17	<17	17	270		<17	<17	<17	<17	<17	<17	17					67			
17	<17	<17		<17	<17	<17	50	<17	<17	33	<17	150	>7000	17	33	<17	<17		<17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

ONB39	MDCU	MDC	MDCD	ELMOROD
17			<17	<17
50	<17	CWS	<17	<17
50	<17	>800	<17	<17
<17			<17	83

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.