

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 November 2016

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2U	HB2	HB2D	HB3D	21N	HB4D	HB5D	15N
11/1	100	120	180	50	<17	<17	<17	<17	<17	<17	<17			<17	<17	<17	<17	<17	17
11/2	83																		
11/3																			
11/4																			
11/5																			
11/6																			
11/7																			
11/8	33	<17	17	17	<17	<17	<17	<17	<17	<17	<17			<17	<17	<17	<17	17	<17
11/9	<17																		
11/10																			
11/11																			
11/12																			
11/13																			
11/14																			
11/15	83	67	120	100	50	33	<17	17	<17	83	33			33	50	<17	<17	<17	67
11/16	<17																		
11/17																			
11/18																			
11/19																			
11/20																			
11/21	CWS	>11000	>12000	>12000	<17	<17	<17	<17	100	<17	67	<17	CWS	83	67	<17	67	33	17
11/22	CWS																		
11/23																			
11/24																			
11/25																			
11/26																			
11/27																			
11/28																			
11/29	330	220	170	120	150	120	150	100	17	17	<17			50	33	17	50	33	50
11/30	83																		

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	
<17	<17	33	17	<17																
<17	67	17	<17		17	<17	<17	<17	17	<17	<17	17	180	5200	33				<17	<17
17	<17	<17	<17	17																
<17	<17	<17	17		17	100	33	<17	<17	<17	<17	33	100	>3400	83				50	<17
<17	<17	460	33	>83																
<17	<17	320	33		50	17	17	<17	67	<17	<17	<17	<17	4000	300				<17	<17
33	120	180	CWS	CWS																
1100	880	820	1900		2500	CWS	1300	800	1700	420	480	50	17	8600	320	<17	>3000	<17	<17	<17
17	17	100	33	17																
17	50	33	17		<17	33	33	<17	17	<17	<17	<17	100	2100	<17	<17	CWS	<17	<17	<17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
17	200	<17	<17			<17	<17
<17	1200	<17	<17			<17	<17
<17	200	<17	100			<17	17
<17	2800	<17	<17	460	CWS	2900	120
<17	730	<17	17	50	>2200	<17	17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.