

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 September 2012

Date	39N	33N	27N	21N	15N	9N	6N	3N	TM	0	D2	SAR	3S	6S	9S	15S	21S	27S	29S	
9/1																				
9/2																				
9/3																				
9/4	<17	<17	<17	<17	<17	67	130	120	100	17			130	<17	<17	17	<17	<17	<17	
9/5	17	17	<17	<17	<17	<17	<17	33		50		<17	<17	<17	<17	<17	<17	<17	17	
9/6	<17	17	17	<17	17	17	<17	50		17	<17	<17	<17	<17	<17	<17	<17	<17	<17	
9/7	<17	<17	<17	<17	17	<17	<17	<17		17	540	67	<17	17	<17	<17	<17	<17	<17	
9/8	<17	<17	<17	<17	17	50	17	<17		<17	17	<17	<17	<17	<17	<17	17	<17	33	
9/9	50	33	33	<17	<17	<17	50	67		460	100	<17	17	33	33	33	<17	<17	<17	
9/10	<17	220	17	<17	<17	17	100	17		100	33	33	<17	<17	<17	<17	<17	100	17	
9/11	67	<17	17	<17	33	67	17	17		17	<17		<17	<17	33	<17	17	<17	<17	
9/12	170	17	17	17	67	150	130	120		<17		<17	<17	<17	<17	<17	17	<17	67	
9/13	220	83	33	17	50	200	50	170		17	<17	<17	<17	<17	<17	<17	<17	<17	17	
9/14	17	67	17	<17	<17	17	<17	<17		<17	<17	<17	<17	17	<17	<17	<17	<17	33	
9/15	33	17	<17	<17	50	250	67	<17		<17	<17	<17	<17	17	<17	<17	<17	17	17	
9/16	17	50	33	33	200	540	17	<17		<17	67	<17	17	<17	<17	<17	<17	<17	83	
9/17	17	<17	<17	33	67	83	17	33		17	<17	17	<17	<17	<17	<17	130	<17	17	
9/18	50	<17	<17	<17	33	130	50	250		<17	33		<17	<17	<17	17	17	<17	<17	
9/19	<17	<17	<17	<17	33	120	33	<17		<17		33	<17	<17	<17	<17	<17	<17	<17	
9/20	17	<17	<17	<17	17	<17	<17	<17		17	17	17	<17	<17	<17	<17	<17	<17	<17	
9/21	17	<17	<17	<17	<17	<17	<17	<17		50	17	17	17	<17	<17	<17	<17	<17	17	
9/22	<17	<17	<17	<17	<17	17	<17	<17		17	17	<17	<17	<17	<17	<17	<17	<17	17	
9/23	33	17	<17	17	<17	50	17	<17		33	200	17	<17	<17	<17	<17	<17	<17	17	
9/24	<17	17	<17	<17	83	100	33	17		17	<17	17	17	<17	<17	<17	<17	<17	<17	
9/25	17	33	<17	<17	<17	170	<17	67		<17	130		17	17	<17	17	220	<17	<17	
9/26	17	17	<17	17	120	220	33	500		<17		<17	<17	33	<17	<17	<17	<17	<17	
9/27	170	17	17	17	67	520	33	330		33	<17	<17	67	33	<17	<17	17	<17	<17	
9/28	67	<17	17	<17	50	4000	33	4200		<17	<17	<17	<17	<17	<17	17	<17	<17	<17	
9/29	17	<17	<17	17	270	820	400	320		67	<17	<17	17	<17	<17	<17	17	<17	67	
9/30	17	17	<17	170	17	220	200	50		<17	67	<17	<17	17	50	<17	<17	50	180	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluent With Sheen
 CWOS - Confluent Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

39S	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
17	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
<17	
17	
33	
<17	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluent With Sheen
 CWOS - Confluent Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.