

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 September 2024

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
9/1																			
9/2																			
9/3	2	42	4	2	4	8	2	2	26	8	4	4	4	<2	6	4	14	26	68
9/4																		<2	<2
9/5																			
9/6																			
9/7																			
9/8																			
9/9																			
9/10	4	6	2	<2	2	<2	<2	<2	8	2	2	2	<2	<2	2	<2	2	6	2
9/11																		10	2
9/12																			
9/13																			
9/14																			
9/15																			
9/16																			
9/17	16	12	2	<2	8	8	12	<2	14	16	8	12	20	12	26	22	44	50	64
9/18																		84	>400
9/19																		2	6
9/20																			
9/21																			
9/22																			
9/23																			
9/24	8	6	<2	<2	6	8	2	<2	<2	2	2	<2	4	2	2	<2	2	2	18
9/25																		12	12
9/26																			
9/27																			
9/28																			
9/29																			
9/30																			
10/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
12	2		<2																
4	<2	<2		<2	<2	<2	6	8	2	6	68	312	146	<2	<2	<2	80	16	<4
2	2		<2																
50	2	10		30	20	4	<2	2	2	<2	<2	190	6	<2	<2	2	92	4	<2
54	4		4																
26	12	10		<2	4	2	<2	<2	2	<2	12	>400	56	<2	<2	<2	90	<2	28
12	4		2																
<2	8	<2		2	<2	<2	2	<2	2	<2	24	378	4	2	2	4	48	2	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCD	
<2	
<2	
32	
<2	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.